





A Full Service Facility for all Your Project Requirements!



Sturdy Built Manufacturing was established in 1999 at our farm shop in Reinholds, PA, with our primary focus on designing and building durable equipment for the dairy industry. As we support the dairy industry, we have continued to increase our manufacturing and capabilities, which enables us to offer our machinery and fabricating services to many allied industries.

To better support demand as a full-service production facility, we transitioned to our current Denver, PA location in 2010.

From prototyping to volume production, we continue to partner with you in creating strategic solutions. Explore our service offerings today!



Our Inventory

We inventory many tubing and sheet metal options, as well as solid rounds, squares, and structural steel. We have many sizes available and will cut to length for you.

Our Services

Whether you need a prototype, a single component, or a production run, we are a strategic partner for complex needs! We are equipped to handle saw cutting, laser-cutting, press brake forming, tube bending, machining, welding, finishing, and assembly. Partnered for water jetting, galvanizing, and powder coating services, we are a one-stop shop for whatever your projects may require.

■ Value Design

Our experienced in-house design team coupled with integrated software implement efficient processes to reduce material and project costs while maintaining high quality specifications.

Quality Control

With over two decades of industry experience, quality and accuracy is central to our work and the value we supply to our customers.

On-Time Production

Delivery goals and requirements are planned into our manufacturing processes. We strive for consistent and reliable lead times.

Logistics

Transportation costs make a big impact on project costs. From maximizing truckload space and coordinating routes and carriers, you experience shipment savings.

Our Location

We are conveniently located along S. Muddy Creek Road in Denver, PA, with easy access to major highways, including the PA Turnpike (I-76), PA Route 222, and PA Route 272.

DESIGN/3D MODELING5	PRECISION WELDING	
	 MANUAL & ROBOTIC WELDING14-15 	
PERFORATED	• TIG, MIG, AND SPOT WELDING14	
PATTERN DESIGNS5	• FIXTURES FOR VOLUME PRODUCTION15	
PRECISION CUTTING	PRODUCT FINISHING	
• PUNCH LASERCUTTING6	• VIBRATORY FINISHING16	
• LASERCUTTING7	• SHEET/PLATE FINISHING16	
- LAGEROOF FING	• DEBURRING/SANDING17	
SHEET/PLATE	COATINGS	
METAL INVENTORY6	• PAINTING, GALVANIZING, POWDER17	
SHEET AND PLATE FAB	VALUE ADDED SERVICES	
• PRESS BRAKE FORMING8	• WATERJETTING17	
• PLATE ROLLING9		
• PARTS STAMPING9	TECHNICAL INSPECTIONS18	
PRECISION MACHINING	PRODUCT ASSEMBLY18	
• CNC MILLING & TURNING10-11		
	PACKAGING & SHIPPING	
TUBE FABRICATION	SERVICES18	
• BENDING12		
• CUTTING12-13		
• SWAGING 13		

A Full Service Facility for all Your Project Requirements!

PIPE & TUBE INVENTORY...13



Your Strategic
Partner for Complete
Metal Fabrication




Design & 3D Modeling



In-House Design Team:

Our design team is prepared to take your project or concept to the next level. We offer 3D modeling with complete measurement data for the entire surface of your product. The actual geometry will correct potential problems before your parts enter into production and can save you valuable material and labor. For new items or to improve existing parts, contact us for this valuable service!



3S SOLIDWORKS

Perforated Pattern Designs:

Our CAD software enables us to convert almost any image document into perforated pattern designs on sheet metal. After these 3D patterns are created digitally, we bring them to life on sheet metal by CNC turret punching or laser cutting. This is an effective way to stamp your logo into products as well as to create an unlimited amount of presentations for various applications.



See It Here IN 3D!



Precision Cutting



Punch Laser Capacity:

25 ton capacity. Up to 60" X 144" sheet size in full automation, and 60" X 168" in manual operation. Up to 0.312" material thickness. Scratch free processing & laser processing, tapping, & forming operations in one setup.



Punch Laser Cutting





Productive Automation:

Fast action sheet and finished part handling increases process reliability and enhances productivity. Safely loads, unloads, and sorts in an automated way to support maximum material flow and cost-efficiency.

Extensive Sheet/Plate Metal Inventory





We stock the standard sizes in the following materials: HRP&O, galvanized, galvannealed, aluminum 5052 & 6061, stainless 304 & 316 grades in normal 2B finish & select #4 brush. Additional material and size options are available.



Precision Cutting



Fiber Laser Capacity:

Perfect part removal. Equipped with SmartLift and SortMaster Speed capabilities, this machine sorts, pulls, and stacks parts at high processing speeds. It cuts 60" x 120" ferrous sheet or plate up to 0.500" (steel and stainless) and non-ferrous metals up to 0.250" (aluminum, brass, and copper). Complex contours are created with efficiency and full accuracy.



Laser Cutting

Oversized material production at lightening speeds! This machine cuts 80" x 160" sheet or plate up to 1.18" ferrous (steel and stainless) and non-ferrous metals (1.58" aluminum, 0.5" brass, and 0.629" copper). Production is nonstop when synced with the automated sheet storage system. Creating custom shapes and complex geometries is cost-effective with our CNC technology and intelligent nesting software.





Sheet Storage System Automation:

The laser and sheet processing machines at Sturdy Built work in conjunction with the high-volume pallet capacity automated sheet storage system. The automated flow of material delivers high feed rates and increased yields for small and large sheet metal production.



Sheet & Plate Fabrication



Robotic Pressbrake Capacity:

High speed automation for small to large-volume projects. Lightsout operation for fast production and less lead time.

- 6 Axis
- Press Force: 250 ton
- Profiles up to 167 in.
- Materials up to 0.5 in. thickness

Press Brake Forming



- 6 Axis
- Press Force: 350 ton
- 1/4 in. x 14 ft. A36 with die width at 8 x material thickness
- 1/2 in. x 8 ft. A36 with die width at 8 x material thickness

Manual Pressbrake Capacity:

Equipped with angle measuring and automatic correction, making parts repeatibility and process efficiency in fluctuating batch sizes a reality.

Sheet & Plate Fabrication



Plate Roll Capacity:

10 ft. x 3/8 in. x 43.5 in. internal diameter in 65,000 psi steel, or up to 5/8 in. plate with proportional width and diameter. 8 axis CNC control provides the ability to roll cones or multi-radii profiles such as elliptical, oval, and rectangular boxes with radii corners.







Plate Rolling

Punch Presses



Presses:

Coil feeding.

Range 15 to 150 tons.

Parts stamping. You may supply the die set, or we can design and build one for your part.






Precision Machining





Milling Capacity:

New capacity: 3 axis: Small, multifaceted pieces up to 120 in. x 40 in. x 30 in. 5 axis: Up to 30 in. diameter.



Vertical Mill









Mill Capacity:

3 axis: 19.5" x 72" x 240" 368 ft/lbs. torque capacity

Drills, mills, taps, and bevels large parts, all in one setup. CNC precision for high production and small run project efficiency.

Precision Machining




Turning Capacity:

Up to 16 in. diameter, 23 in. length with Y-axis and live tooling, 3.5 in. spindle bore with C-axis. One-off prototypes or large production runs with bar feeding and/or robotic parts load and unload.









Integrated Robotic Automation at work in the Sturdy Built Mfg. Machining Area

Producing intricate parts with tight tolerances and unique shapes in any volume.













Tube Fabrication



Bender Capacity:

Small tubing up to 4 in. sch. 40 pipe or 5 in. O.D. rotary draw. 5 axis interpolation push bending with variable radius up to 2-1/2 in. sch. 40 pipe.

Tube Bending

High Speed Cold Saw Cutting



Cold Saw Capacity:

Up to 3 in. OD tubing and 1.5 in. solid bar. 24 ft. bundle infeed and 16 ft. part discharge. Dot-matrix stenciling available for individual part length stamping.

Tube Fabrication



Sawing Capacity:



- 25 in. vertical x
 30 in. horizontal (straight cut)
- 16 in. vertical x
 18 in. horizontal
 (45° miter cut)
- 10 in. vertical x
 18 in. horizontal
 (60° miter cut)



Tube Sawing

Swaging





Up to 4-1/2 in. O.D. schedule 40



PIPE AND TUBING




Precision Welding

Precision Manual Welding

Specializing in one-offs with high-precision welding tables. Rapid-setup modular tooling helps eliminate fixture charges. Certified welders for AWS unlimited thickness. ASME certified for pressure vessel steel welding.

Tig, Mig, and Spot Welding

Higher quality and stronger welds on non-ferrous, thin and heavier metals, including stainless steel and aluminum. Rely on our team of skilled welders for the quality tig welding your projects require. We also offer Robotic Tig Welding with water cooled fixtures to minimize warpage during the fusion process.



Precision Robotic Welding

For large production runs where the parts are conducive to robotic welding, we will build fixtures and weld them robotically for optimal flow and efficiency. The robot department at Sturdy Built features table capacities up to 5 ft. x 14 ft. with 360° rotation.

Precision Welding







Welder machines calibrated annually. Certified welders for AWS unlimited thickness. ASME certified for pressure vessel steel welding.





Fixtures for Volume Production

We design and build custom fixtures for whatever your production project requires!



Product Finishing



Vibratory Finishing

Deburring, descaling, and polishing for tubes, formed parts, and much more. Size capabilities ranging from small pieces up to 60 in. long.

Sheet/Plate Finishing





Deburring, finishing, and/or edge rounding on parts up to 52" wide. Whether you need only the laser edge rounded or desire a grained finish on the entire part, we can provide the finish you request.



Product Finishing

Brush Deburring





Deburring bent and straight pipes, special profiles and heavy weights. Accomodates steel, stainless, aluminum and NE-metals. High performance brushes debur both the inside and outside edges at the same time.



Multi-position sanding with full left and right movement for corner shaping, beveling, deburring, flat work, descaling and angle work.





Many parts require grinding, polishing and special detail finishing after the various stages of the fabrication process. We provide automated or manual finishing to ensure your parts are uniform and fully completed, ready for assembly or shipment.

Partnered for

Waterjet

Cut intricate shapes with severe tolerances in materials from plastic to stainless steel in thickness up to 6 in.

Complete Fabrication Services



Galvanizing

Powdercoating






Technical Inspections



Cad-based 3D arm measurement on request. First article inspection, in-process inspection, prototyping, part verification and analysis. We ensure dimensional and tolerance accuracy with highend quality control.

Product Assembly



Sturdy Built provides a complete fabrication department that can assemble your products from the components we have created along with any additional parts necessary, provided by you or by our supply chain. This valuable service increases overall lead time efficiency and allows us to direct ship to your customers, reducing transit and handling costs.



In addition to our commitment to meet your needs in complete product fabrication, product assembly and lead time satisfaction, we offer local delivery and nationwide shipping via UPS, FedEx, or common carrier anywhere in the United States and Canada. Special care is taken during packaging to ensure our customers will receive their product in excellent condition.

BRING YOUR REQUIREMENTS!



We Are Your Strategic Partner for Complete Metal Fabrication



CONVERSION CHART

Fraction	Decimal	Millimeter
1/64	0.015625	0.3969
1/32	0.031250	0.7937
3/64	0.046875	1.1906
1/16	0.062500	1.5875
5/64	0.078125	1.9844
3/32	0.093750	2.3812
7/64	0.109375	2.7781
1/8	0.125000	3.1750
9/64	0.140625	3.5719
5/32	0.156250	3.9688
11/64	0.171875	4.3656
3/16	0.187500	4.7625
13/64	0.203125	5.1594
7/32	0.218750	5.5563
15/64	0.234375	5.9531
1/4	0.250000	6.3500
17/64	0.265625	6.7469
9/32	0.281250	7.1437
19/64	0.296875	7.5406
5/16	0.312500	7.9375
21/64	0.328125	8.3344

Fraction	Decimal	Millimeter
11/32	0.343750	8.73120
23/64	0.359375	9.12810
3/8	0.375000	9.52500
25/64	0.390625	9.92190
13/32	0.406250	10.3187
27/64	0.421875	10.7188
7/16	0.437500	11.1125
29/64	0.453125	11.5094
15/32	0.468750	11.9062
31/64	0.484375	12.3031
1/2	0.500000	12.7000
33/64	0.515625	13.0969
17/32	0.531250	13.4937
35/64	0.546875	13.8906
9/16	0.562500	14.2875
37/64	0.578125	14.6844
19/32	0.593750	15.0813
39/64	0.609375	15.4781
5/8	0.625000	15.8750
41/64	0.640625	16.2719
21/32	0.656250	16.6687

er	Fraction	Decimal	Millimeter
	43/64	0.671875	17.0656
	11/16	0.687500	17.4625
- 1	45/64	0.703125	17.8594
	23/32	0.718750	18.2563
	47/64	0.734375	18.6531
	3/4	0.750000	19.0500
	49/64	0.765625	19.4469
	25/32	0.781250	19.8438
	51/64	0.796875	20.2406
	13/16	0.812500	20.6375
	53/64	0.828125	21.0344
	27/32	0.843750	21.4312
	55/64	0.859375	21.8281
	7/8	0.875000	22.2250
	57/64	0.890625	22.6219
	29/32	0.906250	23.0187
	59/64	0.921875	23.4156
	15/16	0.937500	23.8125
	61/64	0.953125	24.2094
	31/32	0.968750	24.6062
	63/64	0.984375	25.0030

Stainless Steel

Stanness Steel			
Gauge	Decimal Thickness	Est. lbs/ft²	
28	0.0150	0.630	
26	0.0180	0.756	
25	0.0200	0.840	
24	0.0240	1.008	
22	0.0300	1.260	
20	0.0360	1.512	
19	0.0420	1.764	
18	0.0480	2.016	
16	0.0600	2.520	
14	0.0750	3.150	
13	0.0900	3.780	
12	0.1050	4.410	
11	0.1200	5.040	
10	0.1350	5.670	
8	0.1650	6.930	
7	0.1874	7.871	
3/16	0.1875	8.579	
1/4	0.2500	11.160	
5/16	0.3125	13.750	
3/8	0.3750	16.500	
7/16	0.4375	19.080	
1/2	0.5000	21.660	
5/8	0.6250	26.830	
3/4	0.7500	32.120	
7/8	0.8750	37.290	
1.0	1.0000	42.670	

Aluminum

Decimal Thickness

0.016

0.020

0.025

0.032

0.050

0.063 0.080

0.090

0.100

0.125

0.160

0.190

0.250

0.313

0.375

0.500

Est. lbs/ft²

(Based on 6061)

0.233

0.279

0.349

0.559 0.698

0.880

1.117

1.257

1.397

1.746

2.235

2.654

3.492

5.238

5.238

6.980

Galvanized & Galvaneal

ı	Gauge	Decimal Thickness	Est. lbs/ft²
8	28	0.019	0.781
т	26	0.022	0.906
E	25	0.025	1.031
П	24	0.028	1.156
п	22	0.034	1.406
Н	20	0.040	1.656
н	19	0.046	1.906
ш	18	0.052	2.156
н	16	0.064	2.656
ш	14	0.079	3.281
н	13	0.093	3.906
п	12	0.108	4.531
н	11	0.123	5.156
н	10	0.138	5.781
Ш	9	0.153	6.406
	8	0.168	7.031
18			



260 S. Muddy Creek Road, Denver, PA 17517 Toll Free: 866-543-5116 • Phone: 717-335-3030 Fax: 717-335-3020 • sales@sturdybuiltmfg.net

Mild Steel

Gauge	Decimal Thickness	Est. lbs/ft²
26	0.0179	0.750
24	0.0239	1.010
22	0.0299	1.250
20	0.0359	1.510
19	0.0418	1.750
18	0.0478	2.010
16	0.0598	2.501
14	0.0747	3.125
13	0.0897	3.751
12	0.1046	4.375
11	0.1196	5.001
10	0.1345	5.625
9	0.1500	5.871
8	0.1640	7.011
7	0.1790	7.501
3/16	0.1875	7.661
1/4	0.2500	10.210
5/16	0.3125	12.760
3/8	0.3750	15.320
7/16	0.4375	17.870
1/2	0.5000	20.420
9/16	0.5625	22.970
5/8	0.6250	25.530
3/4	0.7500	30.630
7/8	0.8750	35.740
1.0	1.0000	40.840